


ITC Power

Portable Diesel Generators

Large Tank , Electric Start

DG10000LE / DG10000LE-3 / DG10000LE-T





GENERATOR	DG10000LE	DG10000LE-3	DG10000LE-T
Frequency (HZ)	50	50	50
Rated Power	8kw	10kva	7.2kw / 10kva
Max. Power	8.5kw	10.6kva	7.6kw / 10.6kva
Voltage (V)	230	230 / 400	230 / 400
Current (A)	37	15.3	33 / 15.3
Plugs (A)	32A&32A	16A & 16A	16A & 32A
Display	LED6	LED6	LED6
Fuel tank capacity (L)	25	25	25
Running time @75% load (H)	10	10	10
Sound level @ 7m (dBA)	79	79	79
Battery (V/Ah)	12 / 36	12 / 36	12 / 36
ENGINE	D680E	D680E	D680E
Engine type	Diesel	Diesel	Diesel
Power (HP)	14.4	14.4	14.4
Start	Electric	Electric	Electric
Displacement (CC)	678	678	678
Oil Capacity (L)	2.4	2.4	2.4
ALTERNATOR	AL8	AL8-3	AL8-T
Power (KW)	8	8	8
Power Factor	1	0.8	1 / 0.8
Voltage Regulation	Brush / AVR	Brush / AVR	Brush / AVR
DIMENSIONS & WEIGHT			
Net Weight (KG)	132	132	132
Gross Weight (KG)	136	136	136
machine size (MM)	720×550×630	720×550×630	720×550×630
Dimensions Package (MM)	740×570×660	740×570×660	740×570×660
Loading Capacity FCL20'/40'HQ	93/189	93/189	93/189

DG — Diesel Generator

LE — Large Tank, Electric Start, 1 Phases

LE-3 — Large Tank, Electric Start, 3 Phases

LE-T — Large Tank, Electric Start, Full Power 1 Phases & 3 Phases

Options

Canopy



30Ah
battery



36Ah
battery



4Ah Lithium
battery

Control panel



LED5
Voltage AC
Power output
Frequency
Current
Working time



LED6
Voltage AC
Power output
Frequency
Battery voltage
Current
Working time



D30 (ATS)
Smart controller




ATS/AUTO
module

Engine



NSK
bearing



Euro5
catalyst



Preheater

Alternator



THD ≤ 5%

Package



Standard packing

Accessories

ATS box



Remote Controller 300M



Push Wheel Kit

T10 10 inch wheels



S10 10 inch wheels

